

Report Start Date
1/1/2005

CITES regulated taxa; Report for Aves

Report End Date
6/1/2005

| Taxonomic name | Common name | | Captive born | | | Captive born | | | Birth status | | | Status as of | | |
|--|------------------------------------|-----|--------------------------------|---|---|--------------|---|---|--------------|-----------|----------|--------------|---|---|
| | | | Saint Louis Zoological Park | | | elsewhere | | | (UNK+ Grps) | Wild Born | 6/1/2005 | | | |
| <i>Struthio camelus</i> | Ostrich | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Struthio camelus massaicus</i> | Ostrich | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Spheniscus demersus</i> | Jackass penguin | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Spheniscus humboldti</i> | Humboldt penguin | I | 0 | 0 | 1 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 1 |
| <i>Ardeola ibis</i> | Cattle egret | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Egretta alba</i> | Great egret | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Egretta alba egretta</i> | Great egret | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ephippiorhynchus senegalensis</i> | Saddle-billed stork | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Leptoptilos crumeniferus</i> | Marabou stork | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eudocimus ruber</i> | Scarlet ibis | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Geronticus eremita</i> | Waldrapp ibis | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Phoenicopterus chilensis</i> | Chilean flamingo | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Phoenicopterus roseus</i> | Greater flamingo | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Phoenicopterus ruber</i> | American flamingo | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Branta canadensis leucopareia</i> | Aleutian Canada goose | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Branta ruficollis</i> | Red-breasted goose | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Branta sandvicensis</i> | Ne-ne | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coscoroba coscoroba</i> | Coscoroba swan | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cygnus melanocoryphus</i> | Black-necked swan | II | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| <i>Dendrocygna arborea</i> | Black-billed whistling duck | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Dendrocygna autumnalis autumnalis</i> | North black-bellied whistling duck | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Dendrocygna bicolor</i> | Fulvous whistling duck | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Dendrocygna viduata</i> | White-faced whistling duck | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Alopochen aegyptiacus</i> | Egyptian goose | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anas acuta acuta</i> | Common pintail | III | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| <i>Anas capensis</i> | Cape teal | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anas clypeata</i> | Common shoveler | III | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| <i>Anas crecca carolinensis</i> | American green-winged teal | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anas formosa</i> | Baikal teal | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anas penelope</i> | Eurasian wigeon | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anas platyrhynchos laysanensis</i> | Laysan teal | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anas querquedula</i> | Garganey | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Aythya nyroca</i> | Common white-eye | III | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| <i>Cairina scutulata</i> | White-winged wood duck | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Nettion auritus</i> | African pygmy goose | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Oxyura leucocephala</i> | White-headed duck | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Plectropterus gambensis gambensis</i> | Gambia spur-winged goose | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Pteronetta hartlaubi</i> | Hartlaub's duck | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Sarkidiornis melanotos melanotos</i> | Old World comb duck | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Coragyps atratus</i> | Black vulture | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Report Start Date
1/1/2005

CITES regulated taxa; Report for Aves

Report End Date
6/1/2005

| Taxonomic name | Common name | | Captive born | | | Captive born | | | Birth status | | | Status as of | | | | | |
|------------------------------------|---------------------------------|-----|--------------------------------|---|---|--------------|---|---|--------------|---|---|--------------|---|---|----------|---|---|
| | | | Saint Louis Zoological Park | | | elsewhere | | | (UNK+ Grps) | | | Wild Born | | | 6/1/2005 | | |
| Sarcorhamphus papa | King vulture | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Vultur gryphus | Andean condor | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Aegypius monachus | Cinereous vulture | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Aquila heliaca | Imperial eagle | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buteo jamaicensis | Red-tailed hawk | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buteo lagopus sanctijohannis | Rough-legged hawk | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buteo swainsonii | Swainson's hawk | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Geranospiza caerulescens | Crane hawk | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Gyps fulvus | Griffon vulture | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Haliaeetus leucocephalus | Bald eagle | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Haliaeetus vocifer | African sea eagle | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Heterospizias meridionalis | Savanna hawk | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Neophron percnopterus | Egyptian vulture | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Parabuteo unicinctus | Harris' hawk/bay-winged hawk | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Terathopius ecaudatus | Bateleur eagle | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Sagittarius serpentarius | Secretary bird | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Falco sparverius | American kestrel/sparrowhawk | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polihierax semitorquatus | African pygmy falcon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polyborus plancus auduboni | Audubon's caracara | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Aburria pipile | Common piping guan | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Aburria pipile cumanensis | Common piping guan | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crax globulosa | Wattled curassow | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crax pauxi pauxi | Northern helmeted curassow | III | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Argusianus argus argus | Malayan great argus | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crossoptilon crossoptilon drouynii | Tibetan white-ear pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Crossoptilon mantchuricum | Brown-eared pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Gallus sonneratii | Grey junglefow | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lophophorus impeyanus | Himalayan impeyan pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lophura edwardsi | Edward's pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lophura ignita ignita | Lesser Bornean crested fireback | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lophura ignita rufa | Vieillot's crested fireback | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polyplectron bicalcaratum | Grey peacock pheasant | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polyplectron emphanum | Palawan peacock pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polyplectron germaini | Germain's peacock pheasant | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polyplectron malacense malacense | Malayan peacock pheasant | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rollulus rouloul | Crested wood partridge | III | 3 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 6 | 0 |
| Symaticus ellioti | Elliot's pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Report Start Date
1/1/2005

CITES regulated taxa; Report for Aves

Report End Date
6/1/2005

| Taxonomic name | Common name | | Captive born | | | Captive born | | | Birth status | | | Status as of | | |
|---|-----------------------------|-----|--------------------------------|---|---|--------------|---|---|--------------|-----------|----------|--------------|---|---|
| | | | Saint Louis Zoological Park | | | elsewhere | | | (UNK+ Grps) | Wild Born | 6/1/2005 | | | |
| <i>Syrnaticus humiae humiae</i> | Hume's bar-tailed pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Syrnaticus mikado</i> | Mikado pheasant | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Tragopan caboti</i> | Cabot's tragopan | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Tragopan satyra</i> | Satyr tragopan | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anthropoides paradisea</i> | Stanley crane | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anthropoides virgo</i> | Demoiselle crane | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Bugeranus carunculatus</i> | Wattled crane | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Grus antigone</i> | Sarus crane | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Grus antigone antigone</i> | Indian sarus crane | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Grus monacha</i> | Hooded crane | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Grus vipio</i> | White-naped crane | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Balearica regulorum gibbericeps</i> | East African crowned crane | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eupodotis afra</i> | Little black bustard | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Lophotis ruficrista</i> | Buff-crested bustard | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Burhinus bistriatus</i> | Double-striped thick-knee | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Caloenas nicobarica</i> | Nicobar pigeon | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Columba guinea</i> | Speckled pigeon | III | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| <i>Columba mayeri</i> | Mauritius pink pigeon | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Gallicolumba luzonica</i> | Bleeding heart pigeon | II | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| <i>Goura victoria</i> | Victoria crowned pigeon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Oena capensis</i> | Namaqua dove | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Chalcopsitta atra atra</i> | Black lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Chalcopsitta duivenbodei duivenbodei</i> | Duyvenbode's lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Chalcopsitta sintillata sintillata</i> | Yellow-streaked lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eos bornea bornea</i> | Red lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eos reticulata</i> | Blue-streaked lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eos squamata</i> | Violet-necked lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Lorius lory lory</i> | Black-capped lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Pseudeos fuscata</i> | Dusky lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus goldiei</i> | Goldie's lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus haematodus</i> | Lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus haematodus capistratus</i> | Edward's lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus haematodus forsteni</i> | Forsten's lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus haematodus haematodus</i> | Rainbow lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus haematodus mitchellii</i> | Mitchell's lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus haematodus moluccanus</i> | Australian rainbow lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus haematodus rosenbergii</i> | Rosenberg's lorikeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Trichoglossus ornatus</i> | Ornate lory | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Report Start Date
1/1/2005

CITES regulated taxa; Report for Aves

Report End Date
6/1/2005

| Taxonomic name | Common name | | Captive born Saint Louis Zoological Park | | | Captive born elsewhere | | | Birth status (UNK+ Grps) | | | Status as of 6/1/2005 | | |
|---|------------------------------------|----|--|---|---|---------------------------|---|---|-----------------------------|---|---|--------------------------|---|---|
| | | | Wild Born | | | | | | | | | | | |
| <i>Cacatua alba</i> | White cockatoo | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cacatua haematuropygia</i> | Red-vented cockatoo | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cacatua leadbeateri</i> <i>leadbeateri</i> | Major Mitchell's cockatoo | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cacatua moluccensis</i> | Salmon-crested cockatoo | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cacatua sanguinea</i> | Little corella | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cacatua sulphurea</i> | Lesser sulphur-crested cockatoo | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Cacatua tenuirostris</i> <i>tenuirostris</i> | Long-billed corella | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Nymphicus hollandicus</i> | Cockatiel | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Nestor notabilis</i> | Kea | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Agapornis lilianae</i> | Nyasa lovebird | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Agapornis roseicollis</i> | Peach-faced lovebird | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Amazona aestiva</i> | Blue-fronted amazon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Amazona amazonica</i> | Orange-winged amazon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Amazona auropalliata</i> <i>auropalliata</i> | Yellow-naped amazon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Amazona finschi</i> | Lilac-crowned amazon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Amazona ochrocephala</i> | Yellow amazon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Amazona oratrix</i> <i>oratrix</i> | Yellow-headed amazon | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Amazona viridigenalis</i> | Green-cheeked amazon | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Anodorhynchus hyacinthinus</i> | Hyacinth macaw | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Aprosmitus erythropterus</i> <i>erythropterus</i> | Red-winged parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ara ararauna</i> | Blue-and-yellow macaw | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ara chloroptera</i> | Green-winged macaw | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ara macao</i> | Scarlet macaw | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ara maracana</i> | Illiger's macaw | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ara militaris</i> | Military macaw | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Ara severa</i> | Chestnut-fronted macaw | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Aratinga acuticaudata</i> | Blue-crowned conure | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Aratinga canicularis</i> | Orange-fronted parakeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Aratinga leucophthalmus</i> | White-eyed conure | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Aratinga pertinax</i> | Brown-throated parakeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Aratinga solstitialis</i> | Sun conure | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Derophtus accipitrinus</i> <i>accipitrinus</i> | Hawk-headed parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Eclectus roratus</i> <i>roratus</i> | Grand eclectus parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Forpus coelestis</i> | Pacific parrotlet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Loriculus galgulus</i> | Blue-crowned parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Loriculus philippensis</i> | Hanging parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Myiopsitta monachus</i> <i>monachus</i> | Monk parakeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Nandayus nenday</i> | Nanday conure | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>Neophema bourkii</i> | Bourke's parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Report Start Date
1/1/2005

CITES regulated taxa; Report for Aves

Report End Date
6/1/2005

| Taxonomic name | Common name | | Captive born Saint Louis Zoological Park | | | Captive born elsewhere | | | Birth status (UNK+ Grps) | | | Status as of 6/1/2005 | | |
|--|-----------------------|-----|--|---|---|---------------------------|---|---|-----------------------------|---|---|--------------------------|---|---|
| | | | Wild Born | | | | | | | | | | | |
| Pionus seniloides | White-headed parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Platycercus eximius | Rosella | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Poicephalus senegalus | Senegal parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Polytelis swainsonii | Superb parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Psephotus haematonotus haematonotus | Red-rumped parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Psittacula alexandri | Moustached parakeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Psittacula eupatria | Alexandrine parakeet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Psittacus erithacus | Grey parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Psittacus erithacus timneh | Western grey parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Purpureicephalus spurius | Red-capped parrot | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rhynchopsitta pachyrhyncha pachyrhyncha | Thick-billed parrot | I | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Musophaga violacea | Violet plantain-eater | III | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco corythaix | Knysna turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco corythaix livingstonii | Livingston's turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco corythaix schalowi | Schalow's turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco erythrophus | Red-crested turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco hartlaubi | Hartlaub's turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco leucolophus | White-crested turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco leucotis leucotis | White-cheeked turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tauraco porphyreolophus | Violet-crested turaco | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Phodilus badius | Bay owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Tyto alba | Common barn owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Asio otus | Long-eared ow | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Athene cucularia | Burrowing owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bubo bubo | Eurasian eagle owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bubo lacteus | Milky eagle owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bubo virginianus | Great horned owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ciccaba virgata | Mottled owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Glaucidium cuculoides | Cuckoo owlet | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Glaucidium gnoma | Northern pygmy owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Ketupa zeylonensis | Brown fish owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Nyctea scandiaca | Snowy owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Otus asio | Eastern screech owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pulsatrix koeniswaldiana | Tawny-browed owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pulsatrix perspicillata | Spectacled owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Strix varia | Barred owl | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Amazilia franciae | Andean emerald | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Aceros plicatus | Blyth's hornbill | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Buceros bicornis | Great Indian hornbill | I | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| Buceros rhinoceros | Rhinoceros hornbill | II | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

